mobility chairs Dyn-Ergo And Evolution S Series

lpa

FOCUSED ON WHAT MATTERS

S P E C I A L T Y H E A L T H C A R E S E A T I N G

DYN-ERGO S-150 Shown with 13" (SA-30) wheels and optional Silvertex Turquoise vinyl

EVOLUTION S-250

Shown in standard Naugasoft Cocoa vinyl with removable/foldable footrests (SA-15), optional cervical support (RB-18) and thoracic support (SA-20)

Dyn-Ergo and Evolution

mobility chairs

Standard adjustments

Optional Silvertex vinyl containing silver nitrate* Available in several colours, it is an ideal material to help combat the spread of infections

* Silver nitrate is recognized for its antibacterial properties

PRE-CURE® seat cushion composed of high resilience foam and visco gel memory foam This cushion is standard and is designed to help prevent pressure sores

Adjustable Backrest (95° to 115°)

> 3 possible armrest heights (8", 8%" and 9%" / 20, 22 and 24 cm)

20" central wheels for instinctive mobility (Model S-250)

Seat depth (13¾" to 18" / 35 to 46 cm)

> The maximum tilt of 34° and the cylinder's adjustable locking positions make it possible to adapt it to most of the user's needs

Seat height S-150: 13½" to 18½" / 34 to 47 cm S-250: 16" to 21" / 41 to 53 cm

Our mobility chairs...

- + Meet mobility and positioning needs and are an advantageous alternative to wheelchairs and/or bedroom armchairs.
- + Provide greater freedom of movement for patients at risk of falling and help reduce agitation for those with cognitive impairment.
- + Help maintain patient autonomy and simplify reassignment thanks to their multiple adjustments and accessories.
- + Facilitate social acceptance through their user-friendly appearance and comfort.



)PTI(INS AND ACCESSORIES	In-Ergo	olution				
SA-10	Swing-away and removable footrests	0 —					
SA-15	Swing-away and removable footrests						
SA-20	Structural lateral supports						
SA-30	13" (33 cm) rear wheels with brakes						
SA-40	Activity tray						
SA-40-2	Activity tray with Lexan window						
SA-50	Cervical support						
SA-60	PRE-CURE® PRO cushion enabling insertion of specialty pressure management gels/foams						
SA-70	Heel support loops						
SA-75	Height-adjustable IV pole						
SA-80	Adjustable Seat depth 15 1/2" to 20 3/4" (39 to 53 cm)						
SA-90	Seat height increase adjustment option from 16 $^{1\!/2"}$ to 21 $^{1\!/2"}$ (42 to 55 cm). Incompatible with option SA-30						
SA-120	Full-width padded footrest (requires option SA-10 or SA-15)						
SA-130	Adjustable elevating leg rest (sold individually or as a pair)						
SA-215	Adjustable tension backrest						
RA-03	Lateral tray straps						
RA-03A	Wrap-around tray strap						
RA-19	Perineal abductor with universal black fixing mat						
RA-23	4" (10 cm) adjustable lateral trunk supports						
RA-24	6" (15 cm) adjustable lateral trunk supports						
AB-08-H	Contoured headrest						
AE-02	Catheter drainage bag hook						
	+: Standard 0: Optional —: Not available						

Vinyl upholstery standard. Crypton fabric and Silvertex vinyl available as options. Meets CA TB117-2013 fire standards.

TECHNICAL SPECIFICATIONS

	Dyn-Ergo (S-150)					Evolution (S-250)					
	16	18	20	22	24	16	18	20	22		
Maximum width	58"/ 147 cm					57"/ 145 cm					
Minimum width	31"/ 79 cm					32"/ 81 cm					
Overall width	23"/ 58 cm	25 1/2"/ 65 cm	27"/ 69 cm	29"/ 74 cm	30 ¹ /2"/ 77 cm	25 1/2"/ 65 cm	28"/ 71 cm	29 1/2"/ 75 cm	31 ¹ /2"/ 80 cm	33"/ 84 cm	
Overall width with option SA-30	27"/69 cm	29 ¹ /2"/ 75 cm	31"/ 79 cm	33"/ 84 cm	34 ¹ /2"/ 88 cm	_	_	_	_	_	
Maximum height	54"/ 137 cm					54 ½"/ 138 cm					
Minimum height	36 ¹ /2"/ 93 cm					38"/ 97 cm					
Seat width	15 ¹ / ₂ "/ 39 cm	18"/ 46 cm	19 ¹ / ₂ "/ 50 cm	21 ¹ / ₂ "/ 55 cm	23"/ 58 cm	15 1/2"/ 39 cm	18"/ 46 cm	19 ¹ / ₂ "/ 50 cm	21 ¹ / ₂ "/ 55 cm	23"/ 58 cm	
Seat depth	Adjustable from 13 ³ /4" to 18" (35 to 46 cm)										
Seat height	Adjustable from 13 1/2" to 18 1/2"/ 34 to 47 cm				Adjustable from 16" to 21"/ 41 to 53 cm						
Armrest height	Adjustable from 8" to 9 1/2"/ 20 to 24 cm					Adjustable from 6" to 9 3/4"/ 15 to 25 cm					
Backrest tilt	Adjustable from 95 to 115 degrees										
Maximum seat tilt	34 degrés					23 degrés					
Weight without accessories	46 lbs. / 21 kg	49 lbs. / 22 kg	52 lbs. / 24 kg	62 lbs. / 28 kg	65 lbs. / 29 kg	70 lbs. / 32 kg	73 lbs. / 33 kg	76 lbs. / 34 kg	86 lbs. / 39 kg	89 lbs. / 40 kg	
Maximum weight capacity	250 lbs. / 113 kg			400 lbs. / 181 kg		250 lbs. / 113 kg			400 lbs. / 181 kg		